

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	lens adj barrel with focus adj actuator with female adj screw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:24
L2	1	lens adj barrel with (focus adj actuator) near5 female adj screw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:24
L3	0	lens adj barrel with (focus adjdriv\$4 adj mechanism) near5 female adj screw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:25
L4	0	lens adj barrel with (focus adjdriv\$4 adj mechanism)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:25
L5	660	female adj (screw or thread) with (inner or inside) adj circumference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:26
L6	2581732	lens adj barrel or cam adj ring or stationary adj barrel or frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:26
L7	142	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:26
L8	399	396/133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:27
L9	4	third adj lens adj barrel with male adj (thread or screw or helicoid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:48

L10	2	fourth adj lens adj barrel with female adj (thread or screw or helicoid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:49
L11	2	fourth adj lens adj (barrel or frame or ring or cylinder) with female adj (thread or screw or helicoid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:50
L12	748	lens adj (barrel or frame or ring or cylinder) with female adj (thread or screw or helicoid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:51
L13	17	(fourth or stationary) adj lens adj (barrel or frame or ring or cylinder) with female adj (thread or screw or helicoid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:51
L14	53	396/130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 23:59
L15	206	396/75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/12 00:02
L16	174	396/73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/12 00:06
L17	1266	359/824	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/12 00:08
L18	1	"10596591"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/12 00:29
L19	2	"6813092"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/12 00:53

S1	97	US-5574526-\$.DID. OR US- 4320945-\$.DID. OR US- 5223981-\$.DID. OR US- 5854711-\$.DID. OR US- 5973857-\$.DID. OR US- 6141158-\$.DID. OR US- 5724194-\$.DID. OR US- 5790902-\$.DID. OR US- 4461544-\$.DID. OR US- 5278601-\$.DID. OR US- 4412164-\$.DID. OR US- 4534624-\$.DID. OR US- 5604560-\$.DID. OR US- 5628035-\$.DID. OR US- 5689375-\$.DID. OR US- 5731897-\$.DID. OR US- 5898526-\$.DID. OR US- 5907724-\$.DID. OR US- 5937215-\$.DID. OR US- 5956187-\$.DID. OR US- 5978156-\$.DID. OR US- 6124986-\$.DID. OR US- 6134390-\$.DID. OR US- 6452732-\$.DID. OR US- 6917460-\$.DID. OR US- 6968129-\$.DID. OR US- 20070154198-\$.DID. OR US-5652923-\$.DID. OR US- 4486074-\$.DID. OR US- 4542972-\$.DID. OR US- 5270765-\$.DID. OR US- 5477271-\$.DID. OR US- 6043892-\$.DID. OR US- 4322615-\$.DID. OR US- 4804831-\$.DID. OR US- 5212516-\$.DID. OR US- 5387960-\$.DID. OR US- 5455649-\$.DID. OR US- 5583603-\$.DID. OR US- 5627670-\$.DID. OR US- 5771412-\$.DID. OR US- 6041186-\$.DID. OR US- 6061318-\$.DID. OR US- 6163340-\$.DID. OR US- 4257272-\$.DID. OR US- 4257705-\$.DID. OR US- 4293864-\$.DID. OR US- 4299462-\$.DID. OR US- 4308527-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/21 15:26
S2	627	(396/85,133).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:02
S3	631	(359/824).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/08/21 16:02

S4	1	((focus lens) and (focus adj (driv\$4 or actuator)) and (support\$4 with focus adj (driv\$4 or actuator)) and compensation adj lens and displacement adj lens and (zoom adj (driv\$4 or actuator)) and (second and third) adj zoom with driv\$4 adj part).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:11
S5	1	((focus lens) and (focus adj (driv\$4 or actuator)) and (support\$4 with focus adj (driv\$4 or actuator)) and compensation adj lens and displacement adj lens and (zoom adj (driv\$4 or actuator)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:12
S6	1	((focus lens) and (focus adj (driv\$4 or actuator)) and (support\$4 with focus adj (driv\$4 or actuator)) and compensation adj lens and displacement adj lens and (zoom adj (driv\$4 or actuator))) .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:12
S7	1	((focus lens) and (focus adj (driv\$4 or actuator)) and (support\$4 with focus adj (driv\$4 or actuator)) and compensation adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:12
S8	1	S2 and (focus lens) and (compensation lens) and ((zoom and focus) adj (driv \$4 or actuator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:21
S9	1	S3 and (focus lens) and (compensation lens) and ((zoom and focus) adj (driv \$4 or actuator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:22
S10	21634	"396"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:22
S11	7	S10 and (focus lens) and (compensation lens) and ((zoom and focus) adj (driv \$4 or actuator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:22

S12	1	zoom adj driv\$ adj part with (support\$4 or fix\$4 or hold\$4) adj3 compensation adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:24
S13	1969	displacement lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:25
S14	1	S11 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:25
S15	107	S10 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:25
S16	1	zoom adj actuator with (support\$4 or fix\$4 or hold \$4) adj4 displacement lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:26
S17	8	(driv\$4 or actuator) with (support\$4 or fix\$4 or hold \$4) adj4 displacement lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:26
S18	49	(driv\$4 or actuator) with (support\$4 or fix\$4 or hold \$4) with displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:28
S19	1969	displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:30
S20	107	S10 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:30
S21	14	compensation adj lens and displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:42

S22	0	zoom adj (driv\$4 or actuator or motor) near move adj displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:59
S23	1	zoom adj (driv\$4 or actuator or motor) with move adj displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:59
S24	106315	"359"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:59
S25	4	S21 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 16:59
S26	1	(third adj zoom adj driv\$4 part).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 17:17
S27	1	(third adj zoom adj driv\$4 part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 17:18
S28	20	("4076389" "4636041" "4739359" "4948235" "5113261" "5140468" "5166829" "5298933" "5570149" "5606383" "5621568" "5625487" "5627683" "5636062" "5689739" "5694624" "5708535" "5742850" "5790908" "6031998"). PN. OR ("7345836").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/21 17:41
S29	8	("3851952" "4213686" "4255020" "4332444" "4870436" "5077569"). PN. OR ("5594517").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/21 17:51
S30	37	compensat\$4 adj lens and displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 17:54

S31	11	S24 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 17:54
S32	2	S10 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 17:54
S33	12	("20020102102" "2002376" "20050057812" "4407567" "4834512" "5986811" "6111900" "6658208" "6833938"). PN. OR ("7057826").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/21 17:55
S34	1	S2 and S30	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/21 18:05
S35	1	S2 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 18:05
S36	1	compensat\$4 adj lens adj group with mov\$4 adj (trajectory or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 18:06
S37	4257	zoom adj (actuator or driv \$4 or motor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 18:07
S38	1	S36 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 18:07
S39	1	zoom transition path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 18:22
S40	1	zoom adj actuator with driv \$4 near first zoom driv\$4 adj (part or element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/21 18:22
S41	2	"20070154198"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 10:32

S42	4	"7209175"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 10:44
S43	2	"7142780"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 10:46
S44	2	"7359003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 10:55
S45	142346	"455"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:05
S46	42649	focus\$4 and zoom\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:06
S47	561	S45 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:06
S48	2789	compensat\$4 adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:07
S49	1	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:07
S50	3	S45 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 14:10
S51	0	(actuator or driv\$4 or motor) adj moves with ((zoom and (focusor compensat\$4)) adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 16:56

S52	0	(actuator or driv\$4 or motor) adj (moving or driv\$4) near ((zoom and (focus or compensat\$4)) adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 16:56
S53	87	(actuator or driv\$4 or motor) adj (moving or driv\$4) near ((zoom and (focus or compensat\$4)) adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 16:56
S54	393	(actuator or driv\$4 or motor) adj (moving or driv\$4) with ((zoom and (focus or compensat\$4)) adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 17:12
S55	1663	(actuator or driv\$4 or motor) with ((zoom and (focus or compensat\$4)) adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 17:12
S56	4	"6356307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/25 17:36
S57	5	("4994842" "5161026" "5463442").PN. OR ("6356307").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/25 18:25
S58	6	oh-hyeong-ryeol.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 14:38
S59	16	"5978161"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 14:41
S60	13	("5691842").PN. OR ("5978161").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/03 14:42
S61	14	("20030178911" "20030219244" "20060061223" "20060061890" "20060061891" "20060062559" "4596449" "4605286" "4639084" "5237357" "5847874" "5978161" "6424472").PN. OR ("7221526").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/03 14:44

S62	2	jp-2004077968-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 14:52
S63	1	jp-62180337-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 15:16
S64	2	"0045209"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 15:23
S65	0	shin-yeongu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 15:30
S66	0	yeongu-shin.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 15:31
S67	100298	"348"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:07
S68	1429195	focus adj lens and compensat\$4 adj lens and focus adj actuator and shaft or rod or guide adj part and driv\$4 with compensation and displacement adj lens and driv\$4 with displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:09
S69	1	focus adj lens and (compensat\$4 adj lens) and (focus adj actuator) and (shaft or rod or guide adj part) and (driv\$4 with compensation adj lens) and (displacement adj lens) and driv\$4 with displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:10
S70	2915	S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:10

S71	0	S67 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:11
S72	106668	"359"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:11
S73	8836	S68 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:11
S74	1	S69 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:11
S75	142977	"455"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:12
S76	2224	S68 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:12
S77	115	S73 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:13
S78	1	focus adj lens and (compensat\$4 adj lens) and (focus adj actuator) and (support adj shaft or guide adj rod or guide adj part) and (driv\$4 with compensation adj lens) and (displacement adj lens) and driv\$4 with displacement adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:14
S79	3832	S72 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:15

S80	115	S68 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/03 16:16
S81	95	US-5574526-\$.DID. OR US- 4786057-\$.DID. OR US- 5652923-\$.DID. OR US- 5854711-\$.DID. OR US- 5973857-\$.DID. OR US- 6141158-\$.DID. OR US- 4486074-\$.DID. OR US- 4542972-\$.DID. OR US- 5223981-\$.DID. OR US- 5270765-\$.DID. OR US- 5477271-\$.DID. OR US- 5724194-\$.DID. OR US- 5790902-\$.DID. OR US- 6043892-\$.DID. OR US- 4322615-\$.DID. OR US- 4461544-\$.DID. OR US- 4804831-\$.DID. OR US- 5212516-\$.DID. OR US- 5278601-\$.DID. OR US- 5387960-\$.DID. OR US- 5455649-\$.DID. OR US- 5583603-\$.DID. OR US- 5627670-\$.DID. OR US- 5771412-\$.DID. OR US- 6041186-\$.DID. OR US- 6061318-\$.DID. OR US- 6163340-\$.DID. OR US- 4257272-\$.DID. OR US- 4257705-\$.DID. OR US- 4293864-\$.DID. OR US- 4299462-\$.DID. OR US- 4308527-\$.DID. OR US- 4320945-\$.DID. OR US- 4327284-\$.DID. OR US- 4364649-\$.DID. OR US- 4370038-\$.DID. OR US- 4390977-\$.DID. OR US- 4412164-\$.DID. OR US- 4504935-\$.DID. OR US- 4509840-\$.DID. OR US- 4511932-\$.DID. OR US- 4527888-\$.DID. OR US- 4530042-\$.DID. OR US- 4534624-\$.DID. OR US- 4563705-\$.DID. OR US- 4573924-\$.DID. OR US- 4607913-\$.DID. OR US- 4782394-\$.DID. OR US- 4782396-\$.DID.	US-PGPUB; USPAT; JPO; DERWENT	ADJ	ON	2009/03/04 15:37

S82	1	"10596591"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 16:45
S83	11	lens adj barrel with compensation adj lens adj group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:42
S84	15	lens adj barrel with male adj screw with outer adj (surface or circumference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:43
S85	2	tool adj groove with lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:44
S86	2	lens adj barrel with tool adj groove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:44
S87	2	lens adj barrel same tool adj groove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:44
S88	6	"6456444"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:47
S89	5	("5939804" "6091548"). PN. OR ("6456444").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/05 16:49
S90	1	(first or primary) adj lens adj barrel with compensation adj lens adj group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:53
S91	4	(second\$4) adj lens adj barrel with focus adj (actuator or motor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:54
S92	393	(first and second) adj lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 16:56

S93	1	first adj lens adj barrel with (male adj helicoid) with outer adj (surface or circumference or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:44
S94	1	second adj lens adj barrel with (female adj helicoid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:45
S95	0	("2005/0190464").URPN.	USPAT	ADJ	ON	2009/03/05 17:46
S96	1	first adj lens adj barrel with (male adj (thread or helicoid)) with outer adj (surface or circumference or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:46
S97	91	lens adj barrel with (male adj (thread or helicoid)) with outer adj (surface or circumference or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:46
S98	314	lens adj barrel with (female adj helicoid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:47
S99	74	S97 with S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:47
S100	74	S97 same S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:47
S101	0	lens adj barrel with (female adj helicoid) same focus adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:48
S102	0	lens adj barrel with (female adj helicoid) and focus adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:48
S103	0	lens adj barrel with (female adj helicoid) with focus adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:48

S104	1	second adj lens adj barrel with focus adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:49
S105	11	lens adj barrel with focus adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:49
S106	1	focus adj actuator with (disposed or fix\$4 or secured or attach\$4) with (exterior or outer) with lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:52
S107	1	focus adj actuator with (disposed or fix\$4 or secured or attach\$4 or connect\$4) with (exterior or outer) with lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:52
S108	1	focus adj actuator with (disposed or fix\$4 or secured or attach\$4 or connect\$4 or combined) with lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:52
S109	1	focus adj actuator with (disposed or fix\$4 or secured or attach\$4 or connect\$4) with lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:53
S110	0	(focus adj actuator with (disposed or fix\$4 or secured or attach\$4 or connect\$4) with lens adj barrel).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:53
S111	3	focus adj (actuator or unit or driv\$4 adj device or mechanism) with (disposed or fix\$4 or secured or attach\$4) with (exterior or outer) with lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 17:58
S112	92	US-4924612-\$.DID. OR US-5510869-\$.DID. OR US-6139162-\$.DID. OR US-5907373-\$.DID. OR US-6014489-\$.DID. OR US-4772780-\$.DID. OR US-5729024-\$.DID. OR US-5786665-\$.DID. OR US-5818062-\$.DID. OR US-5929436-\$.DID. OR US-6036328-\$.DID. OR US-6094404-\$.DID. OR US-5462164-\$.DID. OR US-	US-PGPUB; USPAT; JPO; DERWENT	ADJ	ON	2009/03/09 10:09

		5519519-\$.DID. OR US- 5671028-\$.DID. OR US- 5828302-\$.DID. OR US- 6102545-\$.DID. OR US- 6215535-\$.DID. OR US- 4405858-\$.DID. OR US- 4807026-\$.DID. OR US- 4840137-\$.DID. OR US- 4864144-\$.DID. OR US- 4865196-\$.DID. OR US- 5266811-\$.DID. OR US- 5398170-\$.DID. OR US- 5410212-\$.DID. OR US- 5467216-\$.DID. OR US- 5573107-\$.DID. OR US- 5757447-\$.DID. OR US- 5841154-\$.DID. OR US- 6048071-\$.DID. OR US- 6231200-\$.DID. OR US- 6249370-\$.DID. OR US- 4250575-\$.DID. OR US- 4251142-\$.DID. OR US- 4259963-\$.DID. OR US- 4340292-\$.DID. OR US- 4494874-\$.DID. OR US- 4616293-\$.DID. OR US- 4814948-\$.DID. OR US- 4875074-\$.DID. OR US- 4916478-\$.DID. OR US- 5219418-\$.DID. OR US- 5319414-\$.DID. OR US- 5408296-\$.DID. OR US- 5459000-\$.DID. OR US- 5459505-\$.DID. OR US- 5471050-\$.DID.				
S113	13	396/490	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 10:18
S114	1	("4657366").PN. OR ("6817787").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/09 10:20
S115	160	396/452	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 10:26
S116	38	396/471	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 10:26

S117	127	396/493	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 10:26
S118	27	396/494	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 10:26
S119	5	("4150890" "6190060" "6425698").PN. OR ("6805500").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/09 10:31
S120	317	"348"/\$ and (shutter or diaphragm or light adj shielding or light adj blocking) adj member	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 10:51
S121	692	"359"/\$ and (shutter or diaphragm or light adj shielding or light adj blocking) adj member	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 10:51
S122	1	(tool adj key or instrument) adj groove same (lens adj barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:11
S123	2175	(tool adj key or instrument) adj rotat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:12
S124	26446	(tool or key or instrument) adj rotat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:12
S125	923	(tool or key or instrument) adj rotat\$3 with groove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:12
S126	3640	(tool or key or instrument) adj rotat\$3 with (groove or slot or hole or recess)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:13
S127	112	(tool or key or instrument) adj (groove or slot or hole or recess) same (lens adj barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:13

S128	69	(tool or key or instrument) adj (groove or slot or hole or recess) with (lens adj barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:13
S129	6	(tool or instrument) adj (groove or slot or hole or recess) same (lens adj barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:21
S130	5	(tool or instrument) adj (groove or slot or hole or recess) with (lens adj barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:32
S131	1	(adjust\$4 or fix\$4) with (maximum or optimum) with (range or height or extension) adj (lens adj barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/09 18:34
S132	9	(optical or lens) adj module with (first and second) adj lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 15:07
S133	612	359/704	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 15:10
S134	14853	(male and female) adj (screw or helicoid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 15:11
S135	159	S133 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 15:11
S136	0	tool adj (groove or insert or slot or recess or indent or cam) with (dispos\$4 or fix\$3 or attach\$4 or install \$4) adj (lens adj barrel or lens adj frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:20
S137	1482	tool adj (groove or insert or slot or recess or indent or cam) with (dispos\$4 or fix\$3 or attach\$4 or install \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:21

S138	4689	(tool or device or instrument or implement) adj (groove or insert or slot or recess or indent or cam) with (dispos\$4 or fix \$3 or attach\$4 or install\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:21
S139	23043	"396"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:22
S140	13	S138 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:22
S141	107262	"348"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:22
S142	1	S137 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:22
S143	4	S137 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:22
S144	24	S138 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:22
S145	112319	"359"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:22
S146	21	("5517990" "5552822" "5921992" "5954648" "5987960" "6081336" "6112113" "6187018" "6235038" "6236875" "6306126" "6347460" "6377839" "6402762" "6434847" "6497134" "6511418" "6517478" "6584339").PN. OR ("7043961").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/10 16:26

S147	26	("4055376" "4609814" "4722056" "4836667" "4836778" "4968147" "5305091" "5309913" "5383454" "5513005" "5517990" "5622170" "5662111" "5694212").PN. OR ("6081336").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/10 16:31
S148	20	("3606550" "3908077" "4207594" "4662075" "4691715" "4744362" "4750489" "4781463" "4922909" "5098426" "5131753").PN. OR ("5552822").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/10 16:31
S149	225	(calibrat\$4 or adjust\$4) adj lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:35
S150	4	(calibrat\$4 or adjust\$4) adj (height or mov\$3 adj range) adj lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 16:35
S151	3	("5699200" "7221524" "7230777").PN. OR ("7499230").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/10 17:09
S152	14	("2596665" "5016993" "5166829" "5461444").PN. OR ("5699200").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/10 17:12
S153	32	(S137 or S138) and S145	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 17:25
S154	46	(fix\$4 or initial) adj position adj lens adj (unit or group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 17:26
S155	1	zoom adj transition adj path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 18:13
S156	0	zoom adj cam adj path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 18:14

S157	33	(first and second and third and fourth) adj lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 18:14
S158	12	(first same second same third same fourth) adj lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 18:14
S159	1	(first near second near third near fourth) adj lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 18:15
S160	13	("20010026401" "20020135887" "20020135898" "20030117725" "4154510" "6115197" "6369962" "6392828" "6522478" "6522482" "6751032").PN. OR ("6822810").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/10 18:17
S161	0	(first adj lens adj barrel) adj (dispos\$4 or configur\$4 or fix\$4 or provid\$3 or fabricat\$4 or manufactur\$4) with (tool or instrument) adj (groove or slit or slot of recess)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 17:53
S162	0	(compensation adj lens adj barrel) adj (dispos\$4 or configur\$4 or fix\$4 or provid\$3 or fabricat\$4 or manufactur\$4) with (tool or instrument) adj (groove or slit or slot of recess)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 17:54
S163	2	"7450834"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 17:59
S164	11	("20060181632" "20070086770" "20070097527" "4676794" "5289318" "5680251" "5825559" "6038088" "6046866" "6061164" "6940542"). PN. OR ("7450834").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/26 18:00

S165	901	compensat\$4 adj lens and (CCD or CMOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:19
S166	9645696	control\$5 or CPU or microcontroller and (focus adj actuator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:20
S167	2347	(control\$5 or CPU or microcontroller) and (focus adj actuator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:20
S168	220	focus\$3 adj driv\$4 adj (part or member or device or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:22
S169	363	focus\$3 adj (driv\$4 or mov \$5) adj (part or member or device or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:23
S170	9712	restor\$4 adj (spring or plate or member)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:23
S171	4	S165 and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:23
S172	6	S165 and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:24
S173	0	S165 and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:24
S174	0	S168 and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:24

S175	0	S169 and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:24
S176	2967	compensat\$4 adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:25
S177	11	S169 and S176	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:25
S178	2607	focus adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:27
S179	0	S170 and S178	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:28
S180	7607927	(spring or plate or member)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:28
S181	997	S178 and S180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:28
S182	15	S176 and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:29
S183	5528951	(spring or plate or elastic adj member)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:30
S184	877	S178 and S183	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:30

S185	14	S176 and S184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:31
S186	103490	(spring adj plate or elastic adj plate or elastic adj member)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:32
S187	31	S178 and S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:33
S188	1	restor\$4 with focus adj actuator with (initial or start) adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:40
S189	0	restor\$4 with focus adj (barrel or frame) with (initial or start) adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:41
S190	89	brak\$4 adj device with camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 18:47
S191	1	(tool or adjust\$4) adj (groove or slot or recess) with (first adj lens adj barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 10:04
S192	1	((tool or adjust\$4) adj (groove or slot or recess) with (first adj lens adj barrel)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 10:04
S193	1	"10596591"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 10:50
S194	1	spring with (restor\$4) with inital adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 11:03

S195	1	spring with (restor\$4 or mov\$4) with (holder or frame) with initial adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 11:05
S196	1	spring with (mov\$4) with (holder or frame) with initial adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 11:05
S197	370	restor\$4 adj (spring or plate or member) with initial adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 11:06
S198	23	piezoelectric with focus actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 11:41
S199	1	piezoelectric with focus actuator and compensat\$5 adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:12
S200	1	piezoelectric with focus actuator with compensat\$5 adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:12
S201	1	(piezoelectric with focus actuator with compensat\$5 adj lens).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:12
S202	0	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach \$4) with between adj ((compensat\$4 adj lens) near (frame and holder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:14
S203	0	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach \$4) with between adj ((compensat\$4 adj lens) near (fix\$3 adj member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:15
S204	0	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach \$4) with between with ((compensat\$4 adj lens) near (fix\$3 adj member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:15

S205	1	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach\$4) with between with (compensat\$4 adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:16
S206	1	(piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach\$4) with between with (compensat\$4 adj lens)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:16
S207	0	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach\$4) with between with ((compensat\$4 adj lens) near (fix\$3 adj member or part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:18
S208	0	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach\$4) with between with ((compensat\$4 adj lens) near (zoom adj driv\$4 adj part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:19
S209	1	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach\$4) with between with ((compensat\$4 adj lens) with (zoom adj driv\$4 adj part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:19
S210	1	piezoelectric adj element same (disposed or installed or fixed or bond\$4 or attach\$4) with between with ((compensat\$4 adj lens) with (zoom adj driv\$4 adj part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:19
S211	0	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach\$4) with between with ((compensat\$4 adj lens) with (frame or holder or yoke))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:21
S212	0	piezoelectric adj element with (disposed or installed or fixed or bond\$4 or attach\$4) with between with ((compensat\$4 adj lens) and (frame or holder or yoke))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:21

S213	0	focus adj (actuator or motor or driv\$4 adj source) with (suspension adj spring) adj member	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:33
S214	0	focus adj (actuator or motor or driv\$4 adj source) with (suspension adj spring or damper) adj member	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:34
S215	1	(suspension adj spring or damper) adj member with (support\$4 or held or position\$4 or provid\$3) adj between near3 (fixing adj (member or part) or yoke or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:36
S216	0	(suspension adj spring or damper) adj member with (support\$4 or held or position\$4 or provid\$3) adj between near3 (actuator adj (yoke or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:37
S217	0	(suspension adj spring or damp\$3) adj member with (support\$4 or held or position\$4 or provid\$3) adj between near3 (actuator adj (yoke or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:38
S218	0	(suspension adj spring or damp\$3) adj member with (support\$4 or held or position\$4 or provid\$3) adj between adj (actuator adj (yoke or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:38
S219	0	(suspension adj spring or damp\$3) adj member with (support\$4 or held or position\$4 or provid\$3) with between with (actuator adj (yoke or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:38
S220	0	((suspension adj spring or damp\$3) adj member with (support\$4 or held or position\$4 or provid\$3) with between with (actuator adj (yoke or frame))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:38

S221	0	((suspension adj spring or damper) adj member with (support\$4 or held or position\$4 or provid\$3) adj between near3 (fixing adj (member or part) or yoke or frame)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:39
S222	0	((suspension adj spring or damper) adj member with (support\$4 or held or position\$4 or provid\$3) adj between with (fixing adj (member or part) and focus adj driv\$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:39
S223	0	((suspension adj spring or damper) adj member with (support\$4 or held or position\$4 or provid\$3) awith between with (fixing adj (member or part) and focus adj driv\$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:40
S224	0	((suspension adj spring or damper) adj member with (support\$4 or held or position\$4 or provid\$3) with between with (fixing adj (member or part) and focus adj driv\$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:40
S225	0	((suspension adj spring or damper) adj member with (support\$4 or held or position\$4 or provid\$3) with (fixing adj (member or part) and focus adj driv \$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:41
S226	0	((((suspension adj spring or damper)) adj member with (support\$4 or held or position\$4 or provid\$3) with (fixing adj (member or part) and focus adj driv \$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:41
S227	0	((((suspension adj spring or damper)) adj member with (support\$4 or held or position\$4 or provid\$3) with (fixing adj (member or part) near focus adj driv \$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:41

S228	0	((suspension adj spring or damper)) adj member with (support\$4 or held or position\$4 or provid\$3) same (fixing adj (member or part) near focus adj driv \$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:41
S229	0	((suspension adj spring or damper)) adj member same (support\$4 or held or position\$4 or provid\$3) same (fixing adj (member or part) near focus adj driv \$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:42
S230	0	((suspension adj spring or damper) adj member) with (support\$4 or held or position\$4 or provid\$3) with (fixing adj (member or part) near focus adj driv \$4 adj part)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:42
S231	0	((suspension adj spring or damper) adj member) with (support\$4 or held or position\$4 or provid\$3) with (fixing adj (member or part) near focus adj driv \$4 adj part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:42
S232	18	compensat\$4 adj driv\$4 adj (part or member or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 12:44
S233	1259	359/824	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 13:56
S234	26	S233 and compensat\$4 adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 13:56
S235	1	"10584385"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/31 14:47
S236	0	(wire or spring or plate) with dispos\$4 with compensat\$4 adj lens adj (frame or holder or ring or barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:22

S237	0	(wire or spring or plate or suspension) with dispos\$4 with compensat\$4 adj lens adj (frame or holder or ring or barrel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:23
S238	2315	elastic\$4 adj (wire or spring or plate or suspension or tension) adj (part or member or element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:24
S239	2972	compensat\$4 adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:24
S240	0	S238 same S239	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:25
S241	0	S238 with S239	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:25
S242	3	S238 and S239	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:25
S243	5	("5731919").PN. OR ("6025964").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/10 23:27
S244	186	compensat\$7 adj (suspension or spring or wire or elastic\$4) adj (member or element or part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:31
S245	0	(camera or lens) adj module with (focus and compensation) adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:47
S246	11978	(camera or lens) adj module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:47
S247	22813	focus adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:47

S248	2972	compensat\$4 adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:48
S249	224	S246 same S247	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:48
S250	4	S249 and S248	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:48
S251	1	S248 same S249	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:52
S252	4	S248 and S249	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:53
S253	253	S247 same S248	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:53
S254	450	S247 and S248	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/10 23:53
S255	2618	focus adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 00:00
S256	175	compensation adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 00:00
S257	523	compensat\$5 adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 00:00

S258	3980	focus\$5 adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 00:01
S259	22	S257 and S258	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 00:01
S260	1	"10596591"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 13:57
S261	101	displacement adj lens adj group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:02
S262	0	(first and second) adj (zoom or magnif\$8) adj driv \$8 adj member	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:06
S263	1	(first and second) adj (zoom or magnif\$8) adj driv \$8 adj member	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:06
S264	0	(first and second) adj (zoom or magnif\$8) adj driv \$8 adj cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:07
S265	1797	transition adj path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:07
S266	82561	zoom	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:07
S267	21	S265 and S266	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:08

S268	7	"6456444"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:46
S269	3	"20050063695"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 14:59
S270	0	yoke adj dispo\$4 with between adj (magnet and focus\$4 adj3 (holder or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 15:40
S271	0	yoke adj dispo\$4 with between with (magnet and focus\$4 adj3 (holder or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 15:40
S272	9	yoke with between with (magnet and focus\$4 adj3 (holder or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 15:40
S273	18	("4696566" "4745589" "5161067" "5208703" "5216648" "5220459" "5243584" "5337865" "5428481" "5475661"). PN. OR ("5787067").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/11 15:41
S274	4	"6819500"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 15:46
S275	115	(support\$4 or hold\$4) near4 focus\$4 adj actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 16:07
S276	69908	piezoelectric adj element	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 16:11
S277	0	S275 same S276	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 16:11

S278	4	S275 and S276	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 16:11
S279	34	(first and second and third and fourth) adj lens adj barrel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 17:48
S280	19	(brak\$4 or damp\$4) adj device with (lens or optical) adj (holder or frame or member or barrel or ring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 17:52
S281	1	"10596591"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 18:14
S282	53	"5210644"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 18:24
S283	3	"4956449"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 19:50
S284	43	"4596449"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 19:50
S285	10	shutter with disposed with lens and (focus adj (frame or holder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 20:46
S286	7	"6456444"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 20:51
S287	3	shutter with disposed with between with lens and (focus adj (frame or holder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 20:52

S288	5	(shutter or device) with disposed with between with lens and (focus adj (frame or holder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 20:53
S289	0	(shutter or device) with disposed with between near10 (lens and (focus adj (frame or holder)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 20:54
S290	0	(shutter adj device) with disposed with between near10 (lens and (focus adj (frame or holder)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 20:54
S291	90	(shutter adj device) with (between or behind) near10 lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 20:55
S292	110	(shutter adj device) with (between or behind) with lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 20:55
S293	1	shutter adj (device or unit or blades) with piezo adj ceramic adj driving	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 21:03
S294	8	"3956761"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/11 21:06

4/ 12/ 2009 1:46:53 AM

C:\ Documents and Settings\ lsmith1\ My Documents\ EAST\ Workspaces\ 10596591.wsp